

# CRH PLANT®



[www.crhplant.co.uk](http://www.crhplant.co.uk)


**COMPACTION**

**PEDESTRIAN ROLLERS**

	Operating weight	Mass/metre	Overall width	Roll width
Benford 1-71	427 kg	601	710 mm	726 mm
Bomag BW 65H	707 kg	540	650 mm	762 mm

**TRENCH ROLLERS**

	Operating weight	Mass/metre	Overall width	Roll width
Bomag BMP851 Manual/Remote	1530 kg	1275/900	600/850 mm	850 mm
Ramax RW2900 Manual/Remote	3000 kg	1250	1200 mm	1200 mm

**TANDEM RIDE ON ROLLERS**

	Operating weight	Mass/metre	Overall width	Roll width
Bomag BW80	840 kg	800	1060 mm	1680 mm
Bomag BW100	2400 kg	1040	1076 mm	1000 mm
Bomag BW120	2600 kg	1080	1276 mm	1200 mm
Bomag BW135	3560 kg	1370	1380 mm	1300 mm
Bomag BW138 (cutting wheel optional)	4200 kg	1520	1460 mm	1380 mm
Bomag BW141 (cutting wheel optional)	7500 kg*	2470	1660 mm	1500 mm
Bomag BW151 (cutting wheel optional)	7900 kg*	2300	1840 mm	1680 mm
Bomag BW161 (cutting wheel optional)	9600 kg*	2830	1840 mm	1680 mm

Cutting Wheel / Edge Press

**DEADWEIGHT ROLLERS**

	Operating weight	Mass/metre	Overall width	Roll width
Hamm HW90 Deadweight	12465 kg*	6020	2075 mm	2020 mm

**TOWED ROLLERS**

	Operating weight	Mass/metre	Overall width	Roll width
CRH C208	7700 kg*	3850	2000 mm	2160 mm
Bomag BW6	5800 kg*	3440	1700 mm	2080 mm
Bomag BW6 Padfoot	5870 kg*	3460	1700 mm	2080 mm
Stohtert & Pitt T182B	6200 kg*	3400	1820 mm	2290 mm
Stohtert & Pitt T182B Sheepfoot	6700 kg*	3680	1820 mm	2290 mm

**SELF-PROPELLED ROLLERS**

	Operating weight	Mass/metre	Overall width	Roll width
2.5 Tonne Smooth Drum	2653 kg*	1383	1254 mm	1067 mm
2.5 - 3 Tonne *	2563 kg*	1383	1254 mm	1067 mm
5 Tonne Smooth Drum	5475 kg*	1960	1430 mm	1370 mm
5 Tonne Padfoot C/W Blade	6600 kg*	1960	1430 mm	1370 mm
7 Tonne Smooth Drum	6840 kg*	2330	2100 mm	1680 mm
7 Tonne Padfoot	6840 kg*	2330	2100 mm	1680 mm
10 Tonne Smooth Drum	10000 kg*	3000	2250 mm	2130 mm
12 Tonne Smooth Drum	12200 kg*	3130	2250 mm	2140 mm
12 Tonne Padfoot Shells	13100 kg*	3380	2250 mm	2130 mm
16 Tonne Smooth Drum	16550 kg*	5230	2300 mm	2130 mm
16 Tonne Padfoot Shells	16950 kg*	5230	2300 mm	2130 mm
19 Tonne Smooth Drum	19200 kg*	6060	2300 mm	2130 mm
19 Tonne Padfoot Shells	19900 kg*	6060	2300 mm	2130 mm
Polygonal Drum BW213 BVC	15070 kg*	4530	2250 mm	2130 mm

\*C/W Padfoot Shells and Strike Off Blade

\* minimum 1 week hire

**PNEUMATIC TYRED ROLLERS**

	Operating weight	Max. middle wheel load CECE	Roll width
Bomag BW24R PTR	10000 to 24000 kg	3000	2042 mm



## MATERIALS HANDLING

DUMPERS	Capacity	Transmission	Feature
1 Tonne High Discharge	1	4x4	Hydr. Tip
2 Tonne Straight Tip	2	4x4	Hydr. Tip
3 Tonne Straight Dumpers	3	4x4	Hydr. Tip
3 Tonne Swivel Dumper	3	4x4	Swivel Skip, Hydr. Tip
4 Tonne Swivel Skip	4	4x4	Swivel Skip, Hydr. Tip
6 Tonne Straight Tip	6	4x4	Hydr. Tip
6 Tonne Swivel Skip	6	4x4	Swivel Skip, Hydr. Tip
10 Tonne Forward Skipper	10	4x4	Hydr. Tip

	Operating weight	Payload	Width	Length
3 Tonne Tracked Dumper	2200	3000	1600	3150

TELEHANDLERS	Max. payload	Max. height	Max. reach
Terex Telelift 2306	2300	5750	3340
Manitou 1235S	3500	12000	-

### JCB 2CX

#### Airmaster

Standard bucket, side tip bucket, 4 in 1 bucket. Complete with kit.

#### Streetmaster

Quickhitch, 3 buckets, piped for breakers.



## SPECIALIST EQUIPMENT



### PRE-COATED CHIP SPREADER

#### Pre-coated Chip Spreader

12, 14, 16 foot chip spreaders complete with road-tow trailer. Available for short and long term hire.

### ROLLER MOUNTED CHIP SPREADER

#### Roller Mounted Chip Spreader

Available for both Bomag and Hamm tandem rollers.

### HYDRAULICALLY MOUNTED BREAKERS

#### Attachments

Post Hole borer for 1.5 tonne Excavator (10" or 12").  
Concrete breakers for 1.5, 3, 5 and 7 tonne Excavators.

### MINI EXCAVATORS

#### Yanmar B08

1 tonne complete with 1', 2' and ditching buckets. Will fit through standard 2' 6" door.

#### Yanmar B15

1.5 tonne complete with 1', 1'6", 2' and ditching bucket.

#### Yanmar B25

2.5 tonne complete with 1', 1'6", 2' and ditching bucket.

#### Yanmar B30v

3 tonne complete with 1', 1'6", 2' and ditching bucket.

#### Yanmar Vi030v ZERO TAIL SWING

3 tonne complete with 1', 1'6", 2', Ditching Buckets.

#### Yanmar Vi055 ZERO TAIL SWING

5 tonne complete with 1', 1'6", 2', 3' and ditching buckets.

#### Yanmar Vi075

7.9 tonne complete with 1'6", 2', ditching and V buckets.



## ACCOMMODATION

### TOWED WELFARE UNITS

#### 12 Volt Eco Unit

Diesel generator charging high performance battery pack supplying 12 volt power to interior LED lighting. Heating and hot water provided by diesel powered heating system.

#### Diesel / 240v mains – benefits

- Complete with 5.2 Kva Generator
- toilet and wash basin
- 6-man canteen area
- hot and cold water
- drinking water
- microwave oven
- drying room
- Fully heated.
- (Minimum 4 weeks hire)

**ALL OUR OWN TRANSPORT**

**ALL OUR OWN TRAINED ENGINEERS**

**SPECIAL RATES FOR LONG TERM CONTRACTS**

### HEAD OFFICE & MIDLANDS

Station Works, Weston Road,  
Bretforton, Evesham, Worcestershire.  
WR11 7QA

**Tel:** 01386 830354

**Fax:** 01386 833032

**Email:** evesham@crhplant.co.uk

**Sales Mobile:** 07969 149104

**Technical Mobile:** 07815 957235

#### South East

Unit 10, Perry Road Industrial Estate,  
Witham, Essex. CM8 3UD

**Tel:** 01376 516359

**Fax:** 01376 501645

**Email:** witham@crhplant.co.uk

#### Central South

Tidworth Road, Ludgershall,  
Andover. SP11 9QE

**Tel:** 01264 790846

**Fax:** 01264 791422

**Email:** andover@crhplant.co.uk

#### South West

Unit 30, Wallsend Industrial Estate,  
Cattedown, Plymouth. PL4 0RW

**Tel:** 01752 604425

**Fax:** 01752 604426

**Email:** devon@crhplant.co.uk

#### North West

Unit 9, Landgate Ind. Est, Wigan  
Road, Ashton in Makefield,  
Lancashire. WN4 0BW

**Tel:** 01942 719700

**Fax:** 01942 719722

**Email:** wigan@crhplant.co.uk

#### North (Yorkshire)

Chesterfield Road, Swallownest,  
Sheffield. S26 4TL

**Tel:** 01142 880045

**Fax:** 01142 880046

**Email:** sheffield@crhplant.co.uk

#### North East

New Front Street, Tanfield Lea,  
Stanley, County Durham. DH9 9LY

**Tel:** 01207 283636

**Fax:** 01207 236852

**Email:** newcastle@crhplant.co.uk


#### South Wales

34 Heol Mostyn, Village Farm  
Industrial Estate, Pyle, Bridgend,  
Glamorgan. CF33 6BJ

**Tel:** 01656 741239

**Fax:** 01656 743808

**Email:** pyle@crhplant.co.uk



#### CRH Plant terms and conditions of hire

- All machines hired out under CPA conditions
- All machines are hired with a full tank of fuel, fuel used will be charged accordingly
- A sharpening charge will be levied for all breaker steels on return
- Customers will be charged for cleaning equipment returned in an unsuitable condition
- Machines marked \* in our brochure are 1 week minimum hire
- A call out charge will be levied for all service calls outside normal working hours
- All specifications quoted in this brochure are intended only as a guide
- Full manufacturers specifications are available on request

